

1/33

FIG. 1A





FIG. 1B



2/33

FIG. 1C

worknet/homenet

160

Chain PREROUTING (policy DROP 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
170	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 25
	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 53
	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 6010
	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 53
	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 1025
171	~0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	eth1	*	!135.207.12.200/29	0.0.0.0/0	
172	0	DROP	all	--	eth1	*	0.0.0.0/0	10.128.0.2	
	0	ACCEPT	all	--	eth1	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	eth2	*	!10.0.0.0/9	0.0.0.0/0	
173	0	DROP	all	--	eth2	*	0.0.0.0/0	10.128.0.2	
	0	DROP	all	--	eth2	*	0.0.0.0/0	135.207.12.200/29	
	0	ACCEPT	all	--	eth2	*	0.0.0.0/0	0.0.0.0/0	
174	0	ACCEPT	all	--	ipsec0	*	135.0.0.0/8	135.207.12.200/29	
	0	DROP	all	--	ipsec0	*	0.0.0.0/0	0.0.0.0/0	
175	0	DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
	0	ACCEPT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0	
176	~0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

3/33

*FIG. 1D*180

worknet/homenet

```

----- Routing rules:
181 { 0:    from all lookup local
      500: from all iif eth1 lookup from.work.ifc
      500: from all iif lo lookup from.this.host
      32766:    from all lookup main
      32767:    from all lookup default
----- Main routing table (main) :
182 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      10.128.0.0/24 dev eth0  scope link
      10.0.0.0/9 dev eth2  scope link  src 10.0.0.1
      127.0.0.0/8 dev lo  scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2
----- Routing for packets from work_ifc to tunnel ( from.work.ifc ) :
183 { blackhole 135.207.12.200/29
      135.0.0.0/8 dev ipsec0  scope link
----- Routing for packets from localhost to tunnel ( from.this.host ) :
184 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      135.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201

```

4/33

FIG. 1E



190

worknet/homenet

Chain PREROUTING (policy ACCEPT 0 packets, 0 bytes)

	pkts	bytes	target	prot	opt	in	out	source	destination
191	0	0	SNAT	all	--	*	eth0	0.0.0.0/0	to:10.128.0.2
192	0	0	SNAT	all	--	*	eth2	0.0.0.0/0	to:10.0.0.1

5/33

FIG. 2A*FIG. 2B*

6/33

FIG. 2C

260

homenet/web-server (without worknet)

Chain PREROUTING (policy DROP 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
270 {	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
271 ~	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
272 {	0	DROP	all	--	eth2	*	!10.0.0.0/9	0.0.0.0/0	
	0	DROP	all	--	eth2	*	0.0.0.0/0	10.128.0.2	
	0	ACCEPT	all	--	eth2	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
273 {	0	DNAT	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 8080
	to:10.0.0.7:80								
274 ~	0	ACCEPT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

7/33

*FIG. 2D*280

homenet/web-server (without worknet)

```

----- Routing rules:
281 { 0:    from all lookup local
      32766:  from all lookup main
      32767:  from all lookup default
----- Main routing table (main) :
282 { 10.128.0.0/24 dev eth0  scope link
      10.0.0.0/9 dev eth2  scope link src 10.0.0.1
      127.0.0.0/8 dev lo   scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2

```

8/33

FIG. 2E

290

homenet/web-server (without worknet)

Chain POSTROUTING (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
291	0	SNAT	all	--	*	eth0	0.0.0.0/0	to:10.128.0.2
292	0	SNAT	all	--	*	eth2	0.0.0.0/0	to:10.0.0.1

9/33

FIG. 3A





FIG. 3B



10/33

*FIG. 3C*360

worknet plus web server

Chain PREROUTING (policy DROP 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 25
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 53
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 6010
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
0	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 53
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
0	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 1025
0	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	eth1	*	!135.207.12.200/29	0.0.0.0/0	
0	0	DROP	all	--	eth1	*	0.0.0.0/0	10.128.0.2	
0	0	ACCEPT	all	--	eth1	*	0.0.0.0/0	0.0.0.0/0	
0	0	ACCEPT	all	--	ipsec0	*	135.0.0.0/8	135.207.12.200/29	
0	0	DROP	all	--	ipsec0	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
0	0	DNAT	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 8080
0	0	to:135.207.12.204:80							
0	0	ACCEPT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

11/33

*FIG. 3D*380

worknet plus web server

```

----- Routing rules:
381 { 0:    from all lookup local
      500:  from all iif eth1 lookup from.work.ifc
      500:  from all iif lo lookup from.this.host
      32766: from all lookup main
      32767: from all lookup default
----- Main routing table (main) :
382 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      10.128.0.0/24 dev eth0  scope link
      127.0.0.0/8 dev lo  scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2
----- Routing for packets from work_ifc to tunnel ( from.work.ifc ) :
383 { blackhole 135.207.12.200/29
      135.0.0.0/8 dev ipsec0  scope link
----- Routing for packets from localhost to tunnel ( from.this.host ) :
384 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      135.0.0.0/8 dev ispec0  scope link  src 135.207.12.201

```

FIG. 3E

390


worknet plus web server

Chain POSTROUTING (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
391	0	SNAT	all	--	*	eth0	0.0.0.0/0	0.0.0.0/0
to:10.128.0.2								

14/33

FIG. 4B



15/33

FIG. 4C

460

worknet/homenet/web-server

Chain PREROUTING (policy DROP 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
470	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 25
	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 53
471	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 6010
	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 53
472	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 1025
	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	eth1	*	!135.207.12.200/29	0.0.0.0/0	
473	0	DROP	all	--	eth1	*	0.0.0.0/0	10.128.0.2	
	0	ACCEPT	all	--	eth1	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	eth2	*	!10.0.0.0/9	0.0.0.0/0	
	0	DROP	all	--	eth2	*	0.0.0.0/0	10.128.0.2	
474	0	DROP	all	--	eth2	*	0.0.0.0/0	135.207.12.200/29	
	0	ACCEPT	all	--	eth2	*	0.0.0.0/0	0.0.0.0/0	
	0	ACCEPT	all	--	ipsec0	*	135.0.0.0/8	135.207.12.200/29	
	0	DROP	all	--	ipsec0	*	0.0.0.0/0	0.0.0.0/0	
475	0	DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
	0	DNAT	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 8080
	0	ACCEPT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0	
	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

16/33

*FIG. 4D*480

worknet/homenet/web-server

---- Routing rules:

0: from all lookup local

500: from all iif eth1 lookup from.work.ifc

500: from all iif lo lookup from.this.host

32766: from all lookup main

32767: from all lookup default

---- Main routing table (main) :

135.207.12.200/29 dev eth1 scope link src 135.207.12.201

10.128.0.0/24 dev eth0 scope link

10.0.0.0/9 dev eth2 scope link src 10.0.0.1

127.0.0.0/8 dev lo scope link

default via 10.128.0.1 dev eth0 src 10.128.0.2

---- Routing for packets from work_ifc to tunnel (from.work.ifc) :

blackhole 135.207.12.200/29

135.0.0.0/8 dev ipsec0 scope link

---- Routing for packets from localhost to tunnel (from.this.host) :

135.207.12.200/29 dev eth1 scope link src 135.207.12.201

135.0.0.0/8 dev ipsec0 scope link src 135.207.12.201

17/33

FIG. 4E

490

worknet/homenet/web-server

Chain POSTROUTING (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	SNAT	all	--	*	eth0	0.0.0.0/0	to:10.128.0.2
0	0	SNAT	all	--	*	eth2	0.0.0.0/0	to:10.0.0.1

18/33

FIG. 5A





FIG. 5B



20/33

*FIG. 5D*580

worknet/consultant without homenet

```

----- Routing rules:
581 { 0:    from all lookup local
      500:  from all iif eth1 lookup from.work.ifc
      500:  from all iif lo lookup from.this.host
      32766: from all lookup main
      32767: from all lookup default
----- Main routing table (main) :
582 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      10.128.0.0/24 dev eth0  scope link
      127.0.0.0/8 dev lo  scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2
----- Routing for packets from work_ifc to tunnel ( from.work.ifc ) :
583 { 136.0.0.0/8 dev ipsec0  scope link
      blackhole 135.207.12.200/29
      135.0.0.0/8 dev ipsec0  scope link
----- Routing for packets from localhost to tunnel ( from.this.host ) :
584 { 136.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201
      135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      135.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201

```

22/33

FIG. 6A





FIG. 6B



23/33

FIG. 6C

660

worknet/homenet/consultant

Chain PREROUTING (policy DROP 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 25
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 53
0	0	DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
0	0	DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 6010
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
0	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 53
0	0	DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
0	0	DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 1025
0	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	eth1	*	!135.207.12.200/29	0.0.0.0/0	
0	0	DROP	all	--	eth1	*	0.0.0.0/0	10.128.0.2	
0	0	ACCEPT	all	--	eth1	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	eth2	*	!10.0.0.0/9	0.0.0.0/0	
0	0	DROP	all	--	eth2	*	0.0.0.0/0	10.128.0.2	
0	0	DROP	all	--	eth2	*	0.0.0.0/0	135.207.12.200/29	
0	0	DROP	all	--	eth2	*	0.0.0.0/0	136.0.0.203	
0	0	DROP	all	--	eth2	*	0.0.0.0/0	136.0.0.201	
0	0	ACCEPT	all	--	eth2	*	0.0.0.0/0	0.0.0.0/0	
0	0	DNAT	all	--	ipsec0	*	136.0.0.0/8	136.0.0.203 to:235.207.12.203	
0	0	DNAT	all	--	ipsec0	*	136.0.0.0/8	136.0.0.201 to:135.207.12.201	
0	0	ACCEPT	all	--	ipsec0	*	135.0.0.0/8	135.207.12.200/29	
0	0	DROP	all	--	ipsec0	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
0	0	ACCEPT	all	--	eth0	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	

670

671

672

673

674

675

676

24/33

*FIG. 6D*680

worknet/homenet consultant

```

----- Routing rules:
681 { 0:      from all lookup local
      500:   from all iif eth1 lookup from.work.ifc
      500:   from all iif lo lookup from.this.host
      32766: from all lookup main
      32767: from all lookup default
----- Main routing table (main) :
682 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      10.128.0.0/24 dev eth0  scope link
      10.0.0.0/9 dev eth0  scope link
      127.0.0.0/8 dev lo  scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2
----- Routing for packets from work_ifc to tunnel ( from.work.ifc ) :
683 { 136.0.0.0/8 dev ipsec0  scope link
      blackhole 135.207.12.200/29
      135.0.0.0/8 dev ipsec0  scope link
----- Routing for packets from localhost to tunnel ( from.this.host ) :
684 { 136.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201
      135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      135.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201

```

25/33

*FIG. 6E*690

worknet/homenet/consultant

Chain POSTROUTING (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
691 ~ 0	0	SNAT	all	--	*	eth0	0.0.0.0/0	to:10.128.0.2
692 ~ 0	0	SNAT	all	--	*	eth2	0.0.0.0/0	to:10.0.0.1
693 ~ 0	0	SNAT	all	--	*	*	135.207.12.203	to:136.0.0.203
694 ~ 0	0	SNAT	all	--	*	*	135.207.12.201	to:136.0.0.201

26/33

FIG. 7A





FIG. 7B



27/33

FIG. 7C

760

worknet/homenet/web-server/consult									
Chain PREROUTING (policy DROP 0 packets, 0 bytes)									
pkts	bytes	target	prot	opt	in	out	source	destination	
770 {	0	0 DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 25
	0	0 DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 25
	0	0 DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 53
	0	0 DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 53
	0	0 DROP	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	tcp dpt : 6010
	0	0 DROP	tcp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	tcp dpt : 6010
	0	0 DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 53
	0	0 DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 53
	0	0 DROP	udp	--	eth0	*	0.0.0.0/0	0.0.0.0/0	udp dpt : 1025
	0	0 DROP	udp	--	ipsec0	*	0.0.0.0/0	135.207.12.201	udp dpt : 1025
771 ~	0	0 ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
772 {	0	0 DROP	all	--	eth1	*	!135.207.12.200/29	0.0.0.0/0	
	0	0 DROP	all	--	eth1	*	0.0.0.0/0	10.128.0.2	
	0	0 ACCEPT	all	--	eth1	*	0.0.0.0/0	0.0.0.0/0	

773	{	0	DROP	all	--	eth2	*	!10.0.0.0/9	0.0.0.0/0
	}	0	DROP	all	--	eth2	*	0.0.0.0/0	10.128.0.2
		0	DROP	all	--	eth2	*	0.0.0.0/0	135.207.12.200/29
		0	DROP	all	--	eth2	*	0.0.0.0/0	136.0.0.203
		0	DROP	all	--	eth2	*	0.0.0.0/0	136.0.0.201
	}	0	ACCEPT	all	--	eth2	*	0.0.0.0/0	0.0.0.0/0
		0	DNAT	all	--	ipsec0	*	136.0.0.0/8	136.0.0.203 to:235.207.12.203
		0	DNAT	all	--	ipsec0	*	136.0.0.0/8	136.0.0.201 to:135.207.12.201
		0	ACCEPT	all	--	ipsec0	*	135.0.0.0/8	135.207.12.200/29
	}	0	DROP	all	--	ipsec0	*	0.0.0.0/0	0.0.0.0/0
0		DROP	all	--	eth0	*	0.0.0.0/0	!10.128.0.2	
}		0	DNAT	tcp	--	eth0	*	0.0.0.0/0	0.0.0.0/0
		}	0	ACCEPT	all	--	eth0	*	0.0.0.0/0
}	0		DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0
	}	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0

29/33

*FIG. 7D*780

worknet/homenet/web-server/consult

```

----- Routing rules:
781 { 0:      from all lookup local
      500:    from all iif eth1 lookup from.work.ifc
      500:    from all iif lo lookup from.this.host
      32766:   from all lookup main
      32767:   from all lookup default
----- Main routing table (main) :
782 { 135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      10.128.0.0/24 dev eth0  scope link
      10.0.0.0/9 dev eth0  scope link  src 10.0.0.1
      127.0.0.0/8 dev lo  scope link
      default via 10.128.0.1 dev eth0  src 10.128.0.2
----- Routing for packets from work_ifc to tunnel ( from.work.ifc ) :
783 { 136.0.0.0/8 dev ipsec0  scope link
      blackhole 135.207.12.200/29
      135.0.0.0/8 dev ipsec0  scope link
----- Routing for packets from localhost to tunnel ( from.this.host ) :
784 { 136.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201
      135.207.12.200/29 dev eth1  scope link  src 135.207.12.201
      135.0.0.0/8 dev ipsec0  scope link  src 135.207.12.201

```

30/33

FIG. 7E
790

worknet/homenet/web-server/consult

Chain POSTROUTING (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
791 ~ 0	0	SNAT	all	--	*	eth0	0.0.0.0/0	to:10.128.0.2
792 ~ 0	0	SNAT	all	--	*	eth2	0.0.0.0/0	to:10.0.0.1
793 ~ 0	0	SNAT	all	--	*	*	135.207.12.203	to:136.0.0.203
794 ~ 0	0	SNAT	all	--	*	*	135.207.12.201	to:136.0.0.201

31/33

FIG. 8A





FIG. 8B



32/33

FIG. 9A





FIG. 9B



33/33

FIG. 10

